EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	35	(writ$3 near3 socket near4 table)	US-PGPUB; USPAT	OR	ON	2009/03/20 13:52
L2	107	(writ$3 with socket with table)	US-PGPUB; USPAT	OR	ON	2009/03/20 13:53
L3	1	(writ$3 with socket with table) with router	US-PGPUB; USPAT	OR	ON	2009/03/20 13:53
L4	1	(writ$3 with socket with table) same router	US-PGPUB; USPAT	OR	ON	2009/03/20 13:53
L5	1	((writ$3 rewrit$3) with socket with table) same router	US-PGPUB; USPAT	OR	ON	2009/03/20 13:55
L6	2	((writ$3 rewrit$3) with socket with table) same2 router	US-PGPUB; USPAT	OR	ON	2009/03/20 13:55
L7	9	(stor$3 with socket with table) same2 router	US-PGPUB; USPAT	OR	ON	2009/03/20 13:55
S1	1	"20080049619"	US-PGPUB; USPAT	OR	OFF	2009/03/12 11:50
S2	0	"2002147810"	US-PGPUB; USPAT	OR	OFF	2009/03/17 15:25
S3	2	"20020147810"	US-PGPUB; USPAT	OR	OFF	2009/03/17 15:26
S4	1	"20030009586"	US-PGPUB; USPAT	OR	OFF	2009/03/17 15:27
S5	0	("2008/0049619").URPN.	USPAT	OR	OFF	2009/03/17 15:29
S6	153	(p2p (peer near2 peer)) and (traffic same control$4 same payload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 09:17
S7	2	"20060168318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 09:27
S8	30044	370/229,235,236,349,386,389,392,395.1,395.31,395.32,395.4,395.52,395.72,401,471,496.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 09:51

S9	4956	709/238,242,243,244.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 09:52
S10	34246	S8 or S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 09:52
S11	34	S10 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 09:52
S12	7	S10 and ((rout$3 with payload) same (p2p (peer near2 peer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 09:55
S13	57	S10 and ((rout$3 with (payload data info information content) with control$4) same (p2p (peer near2 peer)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 10:14
S14	197	(US-6226260-$ or US-6167446-$ or US-6088706-$ or US-6212189-$ or US-5748870-$ or US-6023654-$ or US-6064648-$ or US-6070123-$ or US-6141686-$ or US-4434463-$ or US-4910729-$ or US-5287535-$ or US-5339318-$ or US-5633999-$ or US-5680446-$ or US-5771231-$ or US-5787271-$ or US-5822543-$ or US-5940415-$ or US-5940762-$ or US-5956391-$ or US-6078586-$ or US-6085099-$ or US-6111673-$ or US-6124878-$ or US-6148336-$).did. or (US-6201804-$ or US-6292496-$ or US-4320500-$ or US-4380063-$ or US-4488289-$ or US-4521882-$ or US-4597074-$ or US-4799215-$ or US-4835534-$ or US-5301339-$ or US-5313579-$ or US-5315587-$ or US-5343472-$ or US-5437009-$ or US-5442630-$ or US-5444703-$ or US-5452115-$ or US-5452330-$ or US-5487073-$ or US-5533009-$ or US-5537547-$ or US-5548579-$ or US-5563883-$ or US-5596632-$ or US-5613201-$ or US-5703873-$ or US-5717691-$).did. or (US-5721725-$ or US-5737536-$ or US-5768543-$ or US-5771274-$ or US-5777984-$ or US-5790551-$ or US-5794116-$ or US-5798726-$ or US-5812527-$ or US-5818356-$ or US-5862337-$ or US-5870561-$ or US-5889477-$ or US-5892825-$ or US-5943344-$ or US-5946373-$ or US-5982783-$ or US-5991311-$ or US-6009097-$ or US-6012012-$ or US-6018767-$ or US-6038594-$ or US-6041051-$ or US-6049826-$ or US-6055242-$ or US-6058260-$ or US-6058421-$).did. or (US-6065049-$ or US-6064671-$ or US-6075787-$ or US-6081524-$ or US-6104701-$ or US-6111946-$ or US-6119021-$ or US-6125177-$ or US-6160853-$ or US-6178184-$ or US-6185306-$ or US-6185624-$ or US-6188671-$ or US-6192281-$ or US-6212563-$ or US-6230205-$ or US-6240464-$ or US-6243382-$ or US-6246665-$ or US-6246665-$ or US-4430702-$ or US-4523308-$ or US-4535206-$ or US-4539676-$ or US-4581735-$ or US-4592048-$ or US-4596010-$ or US-4599492-$).did. or (US-4616359-$ or US-4630254-$ or US-4757497-$ or US-4766590-$ or US-4769810-$ or US-4769811-$ or US-4792945-$ or US-4797904-$ or US-4805167-$ or US-4813012-$ or US-4817080-$ or US-4821265-$ or US-4841527-$ or US-4845710-$ or US-4864576-$ or US-4872186-$ or US-4894824-$ or US-4907159-$ or US-4924500-$ or US-4949338-$ or US-4953162-$ or US-4993014-$ or US-5003531-$ or US-5012510-$ or US-5014265-$ or US-5185741-$ or US-5214646-$).did. or (US-5249270-$ or US-5251203-$ or US-5253161-$ or US-5270809-$ or US-5274782-$ or US-5278827-$ or US-5287103-$ or US-5289462-$ or US-5291492-$ or US-5297141-$ or US-5309437-$ or US-5311593-$ or US-5315580-$ or US-5317630-$ or US-5327428-$ or US-5329623-$ or US-5333178-$ or US-5335225-$ or US-5339313-$ or US-5361261-$ or US-5377196-$ or US-5379297-$ or US-5388097-$ or US-5390176-$ or US-5390243-$ or US-5400328-$ or US-5402117-$).did. or (US-5402416-$ or US-5404353-$ or US-5412416-$ or US-5412642-$ or US-5426634-$ or US-5436617-$ or US-5438646-$ or US-5442771-$ or US-5446734-$ or US-5446738-$ or US-5448564-$ or US-5450408-$ or US-5453980-$ or US-5457687-$ or US-5459713-$ or US-5459723-$ or US-5473604-$ or US-5473665-$ or US-	USPAT	OR	OFF	2009/03/18 10:27

		5479404-$ or US-5490199-$ or US-5504810-$ or US-5506834-$ or US-5511208-$ or US-5515376-$ or US-5521928-$ or US-5528587-$ or US-5528678-$).did. or (US-5535193-$ or US-5537469-$ or US-5539824-$ or US-5539804-$ or US-5544324-$ or US-5544198-$ or US-5548818-$ or US-5550914-$ or US-5553127-$).did.				
S15	5651	(terminat$3 with initiat$3) with (session connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 11:01
S17	7	(p2p (peer near2 peer)) same (stor$3 with (header signal$4) with payload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:46
S18	31	(p2p (peer near2 peer)) same (stor$3 with (header signal$4) with content)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 11:47
S19	31	(p2p (peer near2 peer)) same (stor$3 with (header signal$4) with packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 12:04
S20	111	(p2p (peer near2 peer)) and (stor$3 with (header signal$4) with payload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/18 12:11
S21	121	(p2p (peer near2 peer)) and (stor$3 with (header signal$4) with payload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 12:11
S22	4582	(restart$3 with (session connection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 12:12
S23	1	(restart$3 with (session connection)) same (stor$3 with (header signal$4) with payload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 12:13

S24	41	(restart$3 with (session connection)) and (stor$3 with (header signal$4) with payload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 12:13
S25	9	S24 and (p2p (peer near2 peer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 12:13
S26	13	((restart$3 resum$3 start$3) with (session connection)) same (stor$3 with (header signal$4) with payload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 12:18
S27	294	((restart$3 resum$3 start$3) with (session connection)) and (stor$3 with (header signal$4) with payload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 12:26
S28	41	S27 and (p2p (peer near2 peer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 12:27
S29	128	((restart$3 resum$3 start$3) with (session connection)) and ((stor$3 near3 (header signal$4)) with payload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 12:34
S30	68	((restart$3 resum$3 start$3) near4 (session connection)) and ((stor$3 near3 (header signal$4)) with payload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 12:34
S31	362801	(stor$3 near3 (header signal$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 12:56
S32	112408	(stor$3 near3 (header signal$4)) with (payload data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 12:56

S33	96	S32 same (control$4 near2 traffic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 12:57
S34	11	rout$3 with (header near3 template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 14:00
S35	158	stor$3 with (header near3 template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 14:01
S36	6	(stor$3 with (header near3 template)) same router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 14:03
S37	54	(rout$3 same (header near3 template))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 14:07
S38	30	(rout$3 same (header adj template))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 14:07
S39	6	header with template with router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 14:39
S40	33	(header with template) same router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 14:40
S41	29	stor$3 with header with router with payload	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 14:57

S42	20	stor$3 with signal$4 with router with payload	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:02
S43	76	stor$3 with signal$4 with rout$3 with payload	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:03
S44	47	table with signal$4 with rout$3 with payload	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:06
S45	20817	stor$3 near3 header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:14
S46	280	S45 with router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:14
S47	975	(("storing header") ("storing the header"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:16
S48	5	S47 with router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:16
S49	7	(p2p (peer near2 peer)) with determin$5 with payload	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:27
S50	30	stor$3 with (socket adj address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:32

S51	5598638	stor$3 (destin$5 adj port) with (IP adj address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:37
S52	243	stor$3 with (destin$5 adj port) with (IP adj address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:37
S53	1	S52 same (p2p (peer near2 peer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:38
S54	20	S52 and (p2p (peer near2 peer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:41
S55	202	table with stor$3 with (p2p (peer near2 peer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:53
S56	25	S55 same (first same second)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:54
S57	6	S55 same router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 15:58
S58	402	(discriminat$3) near4 (p2p (peer near2 peer) peer (point near2 point))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:07
S59	5	((discriminat$3) near4 (p2p (peer near2 peer) peer (point near2 point))) with router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:07

S60	5	((discriminat$3) near4 (p2p (peer near2 peer) peer (point near2 point))) same router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:08
S61	203	((determin$3) near4 (p2p (peer near2 peer) peer (point near2 point))) same router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:08
S62	142	((determin$3) near4 (p2p (peer near2 peer) peer (point near2 point))) with router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:08
S63	28	((determin$3) near4 (p2p (peer near2 peer) (point near2 point))) with router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:09
S64	5	(file adj sharing) and (router with interrupt$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:16
S65	235	(router with (reestablsh$3 resum$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:17
S66	84	S65 and (p2p (peer near2 peer) (point near2 point))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:18
S67	69	(router with (re$establish$3 resum$3)) same (interrupt$3 terminat$3 kill$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:19
S68	69	(router with (re$establish$4 resum$3)) same (interrupt$3 terminat$3 kill$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:19

S69	323	(router with (re$establish$4 resum$3 continu$5)) same (interrupt$3 terminat$3 kill$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:19
S70	104	S69 and (p2p (peer near2 peer) (point near2 point))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:19
S71	56	(router near3 (re$establish$4 resum$3 continu$5)) same (router near3 (interrupt$3 terminat$3 kill$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 16:21
S72	4653	(stor$3 near4 header) with packet	US-PGPUB; USPAT	OR	ON	2009/03/19 10:19
S73	235	(("storing header") ("storing the header")) with packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 10:19
S74	0	((("storing header") ("storing the header")) with packet) same client same server same (malicious fraud$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 10:21
S75	0	((("storing header") ("storing the header")) with packet) same (malicious fraud$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 10:21
S76	1	((("storing header") ("storing the header")) with packet) same (malicious fraud$5 re$start$3 reset$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 10:22
S77	0	((("storing header") ("storing the header")) with packet) same (resum$3 near2 (connection session))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 10:22

S78	0	((("storing header") ("storing the header")) with packet) and (resum$3 near2 (connection session))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 10:23
S79	0	((("storing header") ("storing the header")) with packet) and (resum$3 near5 (connection session))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 10:23
S80	0	((("storing header") ("storing the header")) with packet with incoming) and (resum$3 near5 (connection session))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 10:23
S81	10	((("storing header") ("storing the header")) with packet with incoming)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 10:24
S82	10	((("storing header") ("storing the header") ("header is stored")) with packet with incoming)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 10:35
S83	10	((("storing header") ("storing the header") ("header is stored") ("header information is stored")) with packet with incoming)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 10:36
S84	235	((("storing header") ("storing the header") ("header is stored") ("header information is stored")) with packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 10:36
S85	23	((("storing header") ("storing the header") ("header is stored") ("header information is stored")) with packet) and (p2p (peer near2 peer) (point near2 point))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 10:37
S86	2	"6466578".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/19 12:06

S87	4756	(first with second with payload)	US-PGPUB; USPAT	OR	ON	2009/03/19 13:37
S88	655	(first with second with payload with communication)	US-PGPUB; USPAT	OR	ON	2009/03/19 13:38
S89	60	(first with second with payload with communication with determin$3)	US-PGPUB; USPAT	OR	ON	2009/03/19 13:38
S90	745	(first with (read$3 stor$3) with payload) same (second with (read$3 stor$3) with payload)	US-PGPUB; USPAT	OR	ON	2009/03/19 13:57
S91	101	S90 same communication	US-PGPUB; USPAT	OR	ON	2009/03/19 13:58
S92	77	(first with (read$3 stor$3) with payload with communication) same (second with (read$3 stor$3) with payload with communication)	US-PGPUB; USPAT	OR	ON	2009/03/19 14:04
S93	38	router with interrupt$3 with first with second	US-PGPUB; USPAT	OR	ON	2009/03/19 14:09
S94	16	(first with payload with communication with read$3) same (second with payload with communication with read$3)	US-PGPUB; USPAT	OR	ON	2009/03/19 14:14
S95	14	router with receiv$3 with first with payload with communication	US-PGPUB; USPAT	OR	ON	2009/03/19 14:18
S96	79	(first with (read$3 stor$3) with payload with communication) same2 (second with (read$3 stor$3) with payload with communication)	US-PGPUB; USPAT	OR	ON	2009/03/19 14:21
S97	171	(first with second with router with (kill$3 interrupt$3 terminat$3))	US-PGPUB; USPAT	OR	ON	2009/03/19 14:32
S98	79	(first with second with router with (kill$3 interrupt$3 terminat$3) with (communication connection session))	US-PGPUB; USPAT	OR	ON	2009/03/19 14:36
S99	3	(client with server with receiv$3 with router with payload)	US-PGPUB; USPAT	OR	ON	2009/03/19 14:44
S100	0	(first near2 payload) same (second near2 payload) same (router with control$4 with first with second)	US-PGPUB; USPAT	OR	ON	2009/03/19 14:46
S101	15	(first near2 payload) same (second near2 payload) same (router with first with second)	US-PGPUB; USPAT	OR	ON	2009/03/19 14:46
S102	176	router with first with second with compar$3	US-PGPUB; USPAT	OR	ON	2009/03/19 14:48
S103	5	router with first with second with compar$3 with payload	US-PGPUB; USPAT	OR	ON	2009/03/19 14:48
S104	14	gnutella same router	US-PGPUB; USPAT	OR	ON	2009/03/19 15:08
S105	787	gnutella	US-PGPUB; USPAT	OR	ON	2009/03/19 15:12
S106	10	S105 and (router with (terminat$3 interrupt$3 resum$3))	US-PGPUB; USPAT	OR	ON	2009/03/19 15:13
S107	1	"6219706".pn.	US-PGPUB; USPAT	OR	ON	2009/03/19 16:11
S108	259	(retry retrying) with message with packet	US-PGPUB; USPAT	OR	ON	2009/03/19 16:13
S109	0	S108 and p2p	US-PGPUB; USPAT	OR	ON	2009/03/19 16:13
S110	2	S108 with router	US-PGPUB; USPAT	OR	ON	2009/03/19 16:13

S111	1	((retry retrying) with message with packet) same (terminat$3 with (connection session))	US-PGPUB; USPAT	OR	ON	2009/03/19 16:16
S112	0	((retry retrying) with message with packet) same (interrupt$3 with (connection session))	US-PGPUB; USPAT	OR	ON	2009/03/19 16:16
S113	1	((retry retrying) with message with packet) same (restart$3 with (connection session))	US-PGPUB; USPAT	OR	ON	2009/03/19 16:17
S114	2	request$3 with retry with message with payload with packet	US-PGPUB; USPAT	OR	ON	2009/03/19 16:20
S115	2	request$3 with retry with message with payload	US-PGPUB; USPAT	OR	ON	2009/03/19 16:20
S116	849	request$3 with retry with message	US-PGPUB; USPAT	OR	ON	2009/03/19 16:20
S117	61659	(request$3 with retry with message) with3 payload	US-PGPUB; USPAT	OR	ON	2009/03/19 16:21
S118	6	(request$3 with retry with message) and p2p	US-PGPUB; USPAT	OR	ON	2009/03/19 16:21
S119	40	(request$3 with retry with message) and "peer-to-peer"	US-PGPUB; USPAT	OR	ON	2009/03/19 16:22
S120	1	"5550914".pn.	USPAT	OR	OFF	2009/03/20 07:56
S121	344	signature same interrupt	USPAT	OR	OFF	2009/03/20 08:58
S122	30	signature same interrupt same protocol	US-PGPUB; USPAT	OR	OFF	2009/03/20 08:58
S123	18	signature same (interrupt$3 near3 (connection session))	US-PGPUB; USPAT	OR	ON	2009/03/20 09:00
S124	227	messag$3 same retry same interrupt$3	US-PGPUB; USPAT	OR	ON	2009/03/20 09:21
S125	1	messag$3 same retry same interrupt$3 same payload	US-PGPUB; USPAT	OR	ON	2009/03/20 09:21
S126	94	messag$3 same retry same interrupt$3 same data	US-PGPUB; USPAT	OR	ON	2009/03/20 09:22
S127	13	messag$3 same retry same interrupt$3 same content	US-PGPUB; USPAT	OR	ON	2009/03/20 09:22
S128	47	messag$3 same (interrupt$3 with retry)	US-PGPUB; USPAT	OR	ON	2009/03/20 09:29
S129	0	messag$3 same (interrupt$3 with retry) same signature	US-PGPUB; USPAT	OR	ON	2009/03/20 09:32
S130	2	messag$3 same (interrupt$3 with retry) and signature	US-PGPUB; USPAT	OR	ON	2009/03/20 09:32
S131	39	message with payload with retry	US-PGPUB; USPAT	OR	ON	2009/03/20 09:34
S132	63	message with content with retry	US-PGPUB; USPAT	OR	ON	2009/03/20 09:35
S133	2	message with content with retry with packet	US-PGPUB; USPAT	OR	ON	2009/03/20 09:35
S134	1	message with content with retry with signal	US-PGPUB; USPAT	OR	ON	2009/03/20 09:36

S135	0	(message with content with retry) same signature	US-PGPUB; USPAT	OR	ON	2009/03/20 09:36
S136	17	(message with content with retry) and signature	US-PGPUB; USPAT	OR	ON	2009/03/20 09:36
S137	316	(retry near3 message) with (content data payload)	US-PGPUB; USPAT	OR	ON	2009/03/20 09:38
S138	0	S137 same signature	US-PGPUB; USPAT	OR	ON	2009/03/20 09:38
S139	14	S137 and signature	US-PGPUB; USPAT	OR	ON	2009/03/20 09:38
S140	17	S137 and p2p	US-PGPUB; USPAT	OR	ON	2009/03/20 09:39
S141	340	((retry ("try again")) near3 message) with (content data payload)	US-PGPUB; USPAT	OR	ON	2009/03/20 09:41
S142	19	S141 and p2p	US-PGPUB; USPAT	OR	ON	2009/03/20 09:41
S143	39	S141 and (p2p (peer near2 peer))	US-PGPUB; USPAT	OR	ON	2009/03/20 09:42
S144	19	((retry ("try again")) near3 message) with interrupt$3	US-PGPUB; USPAT	OR	ON	2009/03/20 09:45
S145	4	retry with router with interrupt$3	US-PGPUB; USPAT	OR	ON	2009/03/20 09:45
S146	0	payload with message with rtry	US-PGPUB; USPAT	OR	ON	2009/03/20 09:47
S147	39	payload with message with retry	US-PGPUB; USPAT	OR	ON	2009/03/20 09:47
S148	3	(interrupt$3 near3 (connection session)) same ((retry ("try again")) near3 message)	US-PGPUB; USPAT	OR	ON	2009/03/20 09:57
S149	0	(interrupt$3 near3 (connection session)) same ((retry ("try again")) near4 payload)	US-PGPUB; USPAT	OR	ON	2009/03/20 09:58
S150	0	(interrupt$3 near3 (connection session)) same ((retry ("try again")) with payload)	US-PGPUB; USPAT	OR	ON	2009/03/20 09:58
S151	13	(interrupt$3 near3 (connection session)) same ((retry ("try again")) with packet)	US-PGPUB; USPAT	OR	ON	2009/03/20 09:58
S152	8586	message with payload	US-PGPUB; USPAT	OR	ON	2009/03/20 10:00
S153	10	S152 with try	US-PGPUB; USPAT	OR	ON	2009/03/20 10:01
S154	14	S152 with resend	US-PGPUB; USPAT	OR	ON	2009/03/20 10:03
S155	14419	(interrupt$3 near3 (connection session))	US-PGPUB; USPAT	OR	ON	2009/03/20 10:07
S156	111	(interrupt$3 near3 (connection session)) and ((retry ("try again")) with packet)	US-PGPUB; USPAT	OR	ON	2009/03/20 10:07
S157	8	((disconnect$3 discontinu$5 halt$3 prevent$3) near3 (connection session)) same ((retry ("try again")) with packet)	US-PGPUB; USPAT	OR	ON	2009/03/20 10:12
S158	9	((disconnect$3 discontinu$5 halt$3 prevent$3) near3 (connection session)) same ((retry ("try again")) near3 message)	US-PGPUB; USPAT	OR	ON	2009/03/20 10:13

S159	9	((disconnect$3 discontinu$5 halt$3 prevent$3) near3 (connection session)) same ((retr$3 ("try again")) near3 message)	US-PGPUB; USPAT	OR	ON	2009/03/20 10:15
S160	6	((disconnect$3 discontinu$5 halt$3 prevent$3) near3 (connection session)) same ((retr$3 ("try again")) near3 packet)	US-PGPUB; USPAT	OR	ON	2009/03/20 10:15
S161	4	((disconnect$3 discontinu$5 halt$3 prevent$3) near3 (session connection transmission)) with prior with retry	US-PGPUB; USPAT	OR	ON	2009/03/20 10:16
S162	95	((disconnect$3 discontinu$5 halt$3 prevent$3) near3 (session connection transmission)) with retry	US-PGPUB; USPAT	OR	ON	2009/03/20 10:17
S163	3	((disconnect$3 discontinu$5 halt$3 prevent$3) near3 (session connection transmission)) with (retry near3 (session connection transmission)) with message	US-PGPUB; USPAT	OR	ON	2009/03/20 10:18
S164	11	message with (payload content) with ("try again")	US-PGPUB; USPAT	OR	ON	2009/03/20 10:19
S165	64104	message with (payload content)	US-PGPUB; USPAT	OR	ON	2009/03/20 10:20
S166	102	S165 same p2p	US-PGPUB; USPAT	OR	ON	2009/03/20 10:20
S167	343	(message with (payload content)) same (retry ("try again"))	US-PGPUB; USPAT	OR	ON	2009/03/20 10:21
S168	10	S167 and p2p	US-PGPUB; USPAT	OR	ON	2009/03/20 10:21
S169	8732	control with signature	US-PGPUB; USPAT	OR	ON	2009/03/20 10:43
S170	11109	control$3 with signature	US-PGPUB; USPAT	OR	ON	2009/03/20 10:43
S171	53	S170 same p2p	US-PGPUB; USPAT	OR	ON	2009/03/20 10:43
S172	103	control$3 with signature with traffic	US-PGPUB; USPAT	OR	ON	2009/03/20 10:44
S173	18	control$3 with signature with traffic with determin$5	US-PGPUB; USPAT	OR	ON	2009/03/20 10:44
S174	103	control$3 with signature with traffic	US-PGPUB; USPAT	OR	ON	2009/03/20 10:48
S175	4	control$3 with signature with traffic with payload	US-PGPUB; USPAT	OR	ON	2009/03/20 10:49
S176	6	control$3 with signature with traffic with compar$3	US-PGPUB; USPAT	OR	ON	2009/03/20 10:49
S177	300	control$3 with signature with data with compar$3	US-PGPUB; USPAT	OR	ON	2009/03/20 10:50
S178	1	S177 and p2p	US-PGPUB; USPAT	OR	ON	2009/03/20 10:50
S179	14	(control$3 with signature with data with compar$3) and ((interrupt$3 disconnect$3 discontinu$5 halt$3 prevent$3) near3 (connection session))	US-PGPUB; USPAT	OR	ON	2009/03/20 10:52
S180	80576	((interrupt$3 disconnect$3 discontinu$5 halt$3 prevent$3) near3 (connection session))	US-PGPUB; USPAT	OR	ON	2009/03/20 11:07
S181	1520	((interrupt$3 disconnect$3 discontinu$5 halt$3 prevent$3) near3 (connection session)) same ((resum$3 continu$5) near3 (session connection))	US-PGPUB; USPAT	OR	ON	2009/03/20 11:08
S182	8	S181 and p2p	US-PGPUB; USPAT	OR	ON	2009/03/20 11:08

3/ 20/ 2009 3:22:57 PM
C:\ Documents and Settings\ belliott\ My Documents\ EAST\ Workspaces\ 10588586.wsp